

DECLARATION OF PERFORMANCE**MEDITE CLEAR**Reference Number: **CEDOP08****MEDITE EUROPE DAC****Redmondstown, Clonmel****County Tipperary****Ireland**

| Product Type | Intended Use | AVCP* | Notified Body Reference |
|---|---|-------|-------------------------|
| MDF | Internal use as non-structural components in dry conditions | 4 | Not Applicable |
| *Assessment and verification of constancy of performance system according to Annex V of regulation (EU) No 305/2011 | | | |

Declared Performance

| Essential characteristics | Performance | | | Harmonised technical specification |
|--|-------------|---------|-----------|------------------------------------|
| | 6 to <9 | 9 to 12 | >12 to 19 | |
| Thickness Range (mm) | 6 to <9 | 9 to 12 | >12 to 19 | EN 13986:2004+A1:2015 |
| Bending strength (N/mm ²) | 23 | 22 | 20 | |
| Internal bond (N/mm ²) | 0.65 | 0.60 | 0.55 | |
| Swelling in thickness % | 17 | 15 | 12 | |
| Release of formaldehyde ¹ | E1 | E1 | E1 | |
| Reaction to fire ² | NPD | D-s2,d0 | D-s2,d0 | |
| Water vapour permeability μ | NPD | NPD | NPD | |
| Airborne sound insulation (surface mass) (R) | NPD | NPD | NPD | |
| Sound absorption 250Hz to 500Hz (α) | NPD | NPD | NPD | |
| Sound absorption 1000Hz to 2000Hz (α) | NPD | NPD | NPD | |
| Thermal conductivity | NPD | NPD | NPD | |
| Biological durability | Use Class 1 | | | |
| Release (content) of pentachlorophenol (PCP) | ≤5ppm | ≤5ppm | ≤5ppm | |

¹: Release of formaldehyde $\leq 0.062 \text{ mg/m}^3$ ($\leq 0.05\text{ppm}$) in accordance with requirements of Regulation (EU) 2023/1464 – E05.

²: Mounted without air gap directly on a substrate class A1 or A2-s1, d0 with minimum density 10kg/m^3 or on a substrate at least class D-s2,d0 with minimum density 400kg/m^3 . Or mounted with a closed or open-air gap not more than 22mm, on a substrate at least class A2-s1, d0 with minimum density 10kg/m^3 .

The performance of the product identified is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Guillaume Coste, Technical Services Manager.

Clonmel, Ireland. 13/04/2026